

Web Sensor with PoE - remote thermometer

code: P8610



P-line Web Sensor with built-in temperature sensor and PoE - Power over Ethernet feature. Remote alarm.

Processing and analysis of measured data:

- online in [COMET Cloud](#)
- [COMET Database](#) software
- [integration into 3-party systems](#)

Technical data

| | |
|-----------------------------|---|
| TEMPERATURE SENSOR | |
| Measuring range | -20 to +60 °C |
| Accuracy | ±0.8 °C in the range teplot od -10 °C do +80°C; ±2,0 °C in the range teplot od -10 °C do -30 °C |
| Resolution | 0.1 °C |
| GENERAL TECHNICAL DATA | |
| Operating temperature | -20 to +60 °C |
| Channels | internal temperature sensor |
| Output | Ethernet |
| Measuring interval | 2 s |
| Available temperature units | degrees Celsius, degrees Fahrenheit |
| Communication protocol | WWW, ModbusTCP, SNMPv1, SOAP, XML |
| Alarm protocols | E-mail, SNMP Trap, Syslog |
| Power | Power over Ethernet according to IEEE 802.3af or 5Vdc |
| Protection class | IP30 |
| Dimensions | 88 x 126 x 39,5 mm; stem length 53 mm |
| Weight | approx. 130 g |
| Warranty | 3 years |